

# PRODUCT DATASHEET

## DECOSTAR 35 35 W 12 V 36° GU4

DECOSTAR® 35 | Halogen dichroic reflector lamps with 35 mm diameter



---

### Areas of application

- General illumination
- Workplace lighting
- Kitchen lighting
- Mirror lighting
- Object lighting
- Shops
- Restaurants, hotels and similar prestigious applications

---

### Product benefits

- Brilliant accent light
- Dichroic reflector reduces the heat in the light beam by up to 66 %
- Approved for use in open luminaires (to IEC 60598-1)
- UV filter
- Contains no mercury

---

### Product features

- Average life: 4,000 h
- 100 % dimmable
- Color rendering index  $R_a$ : 100
- Diameter: 35 mm
- Deco cover


## TECHNICAL DATA

### Electrical data

Nominal wattage	35 W
Construction wattage	35.00 W
Nominal voltage	12 V
Power factor $\lambda$	1.00

### Photometrical data

Luminous intensity	1000 cd
Luminous flux	430 lm
Nominal useful luminous flux 90°	430 lm
Luminous efficacy	12 lm/W
Lumen main.fact.at end of nom.life time	0.75
Light color (designation)	Warm White
Color temperature	2900 K
Color rendering index Ra	100
Light color	1029
Rated peak intensity	1000 cd
UV protection	Yes



### Light technical data

Beam angle	36 °
Warm-up time (60 %)	0.00 s
Starting time	0.0 s
Rated beam angle (half peak value)	36.00 °

### Dimensions & Weight

Overall length	42.00 mm
Diameter	35.3 mm
Maximum diameter	35 mm

Product weight	14.55 g
----------------	---------

### Lifespan

Nominal lamp life time	4000 h
Number of switching cycles	100000

### Additional product data

Base (standard designation)	GU4
Mercury content	0.0 mg
Mercury-free	Yes
Design / version	Reflector

### Capabilities

Dimmable	Yes
Burning position	Any

### Certificates & Standards

Energy efficiency class	C
Energy consumption	38.00 kWh/1000h

### Country-specific categorizations

ILCOS	HRGS//UB-35-12-GU4-35/36
Order reference	44892 WFL

### Energy labelling regulation data acc EU 2019/2015

Light source cap-type (or other electric interface)	GU4
Length	40.00 mm
Height	35.3 mm
Width	35.3 mm

### LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4050300346229	Folding box 1	34 mm x 34 mm x 50 mm	18.60 g	0.06 dm <sup>3</sup>
4058075307063	Bundle 2	68 mm x 34 mm x 50 mm	38.00 g	0.12 dm <sup>3</sup>
4050300346236	Shipping box 10	178 mm x 58 mm x 81 mm	215.73 g	0.84 dm <sup>3</sup>
4058075307070	Shipping box 12	212 mm x 41 mm x 110 mm	290.00 g	0.96 dm <sup>3</sup>
4058075307087	Shipping box 144	258 mm x 221 mm x 235 mm	3647.00 g	13.40 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

---

## DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.