## **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

## Supplier's name or trade mark: PHILIPS

Supplier's address: Customer Care Philips, I.B.R.S./C.C.R.I. /Numéro 10461, 5600VB Eindhoven, NL

## **Model identifier:** 8711500261199

## Type of light source:

	1		
Lighting technology used:	CFLni	Non-directional or directional:	NDLS
Light source cap-type	2G7		
Light source cap type	207		
(or other electric interface)			
Mains or non-mains:	NMLS	Connected light	No
		source (CLS):	
Colour-tuneable light source:	No	Envelope:	-
High luminance light source:	No		
Anti-glare shield:	No	Dimmable:	Yes

Product parameters					
Parameter		Value	Parameter	Value	
General product parameters:					
•.	imption in on- 000 h), rounded est integer	12	Energy efficiency class	G	
indicating if it in a sphere (3	bus flux (φuse), refers to the flux 360º), in a wide in a narrow cone	900 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	3 000	
On-mode expressed in W	power (P <sub>on</sub> ), /	11,9	Standby power (P <sub>sb</sub> ), expressed in W and rounded to the second decimal	0,00	
for CLS, expre	ndby power (P <sub>net</sub> ) essed in W and e second decimal	-	Colour rendering index, rounded to the nearest integer, or the range of CRI- values that can be set	82	
Outer	Height	219	Spectral power	See image	
dimensions	Width	28	distribution in the	in last page	
without	Depth	28			
		•		Page 1 / 3	

separate control gear, lighting control parts and non- lighting control parts, if any (millimetre)	range 250 nm to 800 nm, at full-load	
Claim of equivalent power <sup>(a)</sup>	- If yes, equivalent power (W)	-
	Chromaticity coordinates (x and y)	0,440

(a)<sub>'-'</sub> : not applicable;

(b)'-' : not applicable;

