

Blacklight Blue T8

F18 T8 BLB
0000698



Product features

- Blacklight Blue lamps



PRODUCT OVERVIEW

Product name	F18 T8 BLB
Technology	Fluorescent
Lamp shape	Tubular shape
Type	Blacklight
Cap/Base	G13
Lamp finish	Frosted/Coated
Fixture rating	Open
General application	SPG
ETIM Class	EC002962
E-number FI	4942968
E-number SE	8359307
E-number Norway	3832020
Light colour	UV
Wattage (W)	18.00
Product Voltage (V)	57
Dimmable	Yes
Average life (Nominal) (h)	4000
Product EAN number	5410288006987

DATA TABLE

General data

Product name	F18 T8 BLB
Technology	Fluorescent
Lamp shape	Tubular shape
Type	Blacklight
Cap/Base	G13
Lamp finish	Frosted/Coated
Fixture rating	Open
General application	SPG
ETIM Class	EC002962
E-number FI	4942968
E-number SE	8359307
E-number Norway	3832020

Blacklight Blue T8

F18 T8 BLB

0000698

Optical data

Ambient temperature for maximum luminous flux (°C)	25
Light colour	UV
Adjustable chromaticity	N

Electrical data

Wattage (W)	18.00
Watt (Rated) - High frequency (W)	16.00
Current (A)	0.370
Product Voltage (V)	57
Control gear required	Yes
Transformer required	No
Dimmable	Yes
Drive current (mA)	370

Lifetime data

Average life (Nominal) (h)	4000
Average life (Rated) (h)	4000

Physical data

Nominal Product Length (mm)	600.0
Nominal Product Diameter (mm)	26
Max. Length base to base (mm) - A	589.8
Length base to pin Min-Max (mm) - B	594.5-596.9
Max. Lamp Length (mm) - C/L	604.0
Max. Lamp Diameter (mm) - D	28.0
Weight (kg)	0.1

Packaging

Single packaging type	Carton
Product EAN number	5410288006987
Packaging single length / height (cm)	61.0
Packaging single width (cm)	2.9
Packaging single depth (cm)	2.8
DUN14 (outer)	15410288006984
Units per outer package	25
Packaging outer length / height (cm)	63.0
Packaging outer width (cm)	15.5
Packaging outer depth (cm)	15.0

Safety data

Lamp mercury content (mg)	2.80
Breakage cleaning instructions	Applicable
Special purpose lamp	Yes
Suitable for household illumination	Yes

Blacklight Blue T8

F18 T8 BLB

0000698

TECHNICAL DRAWINGS

