

ToLEDo Striplight ToLEDo ST V2 284mm 3.5W 280lm S15S 0026857

Product features











PRODUCT OVERVIEW

Product name	ToLEDo ST V2 284mm 3.5W 280lm S15S
Technology	LED
Watt (Rated) (W)	3.5
Lamp shape	Linear
Туре	ToLEDo Striplight
Cap/Base	S15s
Lamp finish	Frosted/Coated
General application	Hospitality, Residential & Consumer
ETIM Class	EC001959
Luminous flux (Im)	280
Colour temperature (K)	2700
Light colour	Homelight
CRI (Ra)	80
Colour Consistency (SDCM)	6
Wattage (W)	3.5
Dimmable	No
Average life (Nominal) (h)	15000
Product EAN number	5410288268576
Dimming method	N/A

DATA TABLE

General data	
Product name	ToLEDo ST V2 284mm 3.5W 280lm S15S
Technology	LED
Watt (Rated) (W)	3.5
Lamp shape	Linear
Туре	ToLEDo Striplight
Cap/Base	S15s
Lamp finish	Frosted/Coated
General application	Hospitality, Residential & Consumer
ETIM Class	EC001959
Optical data	



ToLEDo Striplight ToLEDo ST V2 284mm 3.5W 280lm S15S 0026857

Luminous flux (Im)	280
Luminous flux (Rated) (Im)	280
Colour temperature (K)	2700
Light colour	Homelight
CRI (Ra)	80
Colour Consistency (SDCM)	6
Adjustable chromaticity	N
Lumen maintenance at end of nominal	70
life (%)	
Electrical data	
Wattage (W)	3.5
Equivalent watt (W)	35
Starting time (max) (s)	0.05
Warm-up time to 60% of full light (max) (s)	< 1s => 60%
Current (A)	0.029
Mains voltage (V)	220-240V
Lamp power factor	0.5
Mains frequency (Hz)	50
Control gear required	No
No. Of switching cycles before premature failures	>50000
Transformer required	No
Dimmable	No
Lifetime data	
Average life (Nominal) (h)	15000
	15000 15000
Average life (Nominal) (h)	
Average life (Nominal) (h)	
Average life (Nominal) (h) Average life (Rated) (h) Physical data	
Average life (Nominal) (h) Average life (Rated) (h)	15000
Average life (Nominal) (h) Average life (Rated) (h) Physical data Nominal Product Diameter (mm)	15000 284
Average life (Nominal) (h) Average life (Rated) (h) Physical data Nominal Product Diameter (mm) Max. Lamp Diameter (mm) - D	15000 284 26
Average life (Nominal) (h) Average life (Rated) (h) Physical data Nominal Product Diameter (mm) Max. Lamp Diameter (mm) - D	15000 284 26
Average life (Nominal) (h) Average life (Rated) (h) Physical data Nominal Product Diameter (mm) Max. Lamp Diameter (mm) - D Weight (kg) Packaging	15000 284 26
Average life (Nominal) (h) Average life (Rated) (h) Physical data Nominal Product Diameter (mm) Max. Lamp Diameter (mm) - D Weight (kg)	15000 284 26 0.042
Average life (Nominal) (h) Average life (Rated) (h) Physical data Nominal Product Diameter (mm) Max. Lamp Diameter (mm) - D Weight (kg) Packaging Single packaging type Product EAN number	15000 284 26 0.042 Carton
Average life (Nominal) (h) Average life (Rated) (h) Physical data Nominal Product Diameter (mm) Max. Lamp Diameter (mm) - D Weight (kg) Packaging Single packaging type Product EAN number Packaging single length / height (cm)	15000 284 26 0.042 Carton 5410288268576 29.0
Average life (Nominal) (h) Average life (Rated) (h) Physical data Nominal Product Diameter (mm) Max. Lamp Diameter (mm) - D Weight (kg) Packaging Single packaging type Product EAN number Packaging single length / height (cm) Packaging single width (cm)	15000 284 26 0.042 Carton 5410288268576
Average life (Nominal) (h) Average life (Rated) (h) Physical data Nominal Product Diameter (mm) Max. Lamp Diameter (mm) - D Weight (kg) Packaging Single packaging type Product EAN number Packaging single length / height (cm) Packaging single width (cm) Packaging single depth (cm)	15000 284 26 0.042 Carton 5410288268576 29.0 3.0
Average life (Nominal) (h) Average life (Rated) (h) Physical data Nominal Product Diameter (mm) Max. Lamp Diameter (mm) - D Weight (kg) Packaging Single packaging type Product EAN number Packaging single length / height (cm) Packaging single depth (cm) DUN14 (inner)	15000 284 26 0.042 Carton 5410288268576 29.0 3.0 3.7 25410288268570
Average life (Nominal) (h) Average life (Rated) (h) Physical data Nominal Product Diameter (mm) Max. Lamp Diameter (mm) - D Weight (kg) Packaging Single packaging type Product EAN number Packaging single length / height (cm) Packaging single depth (cm) DUN14 (inner) Units per inner package	15000 284 26 0.042 Carton 5410288268576 29.0 3.0 3.7 25410288268570 6
Average life (Nominal) (h) Average life (Rated) (h) Physical data Nominal Product Diameter (mm) Max. Lamp Diameter (mm) - D Weight (kg) Packaging Single packaging type Product EAN number Packaging single length / height (cm) Packaging single depth (cm) DUN14 (inner) Units per inner package Packaging inner length / height (cm)	15000 284 26 0.042 Carton 5410288268576 29.0 3.0 3.7 25410288268570 6 30.4
Average life (Nominal) (h) Average life (Rated) (h) Physical data Nominal Product Diameter (mm) Max. Lamp Diameter (mm) - D Weight (kg) Packaging Single packaging type Product EAN number Packaging single length / height (cm) Packaging single depth (cm) DUN14 (inner) Units per inner package Packaging inner length / height (cm) Packaging inner width (cm)	15000 284 26 0.042 Carton 5410288268576 29.0 3.0 3.7 25410288268570 6 30.4 8.2
Average life (Nominal) (h) Average life (Rated) (h) Physical data Nominal Product Diameter (mm) Max. Lamp Diameter (mm) - D Weight (kg) Packaging Single packaging type Product EAN number Packaging single length / height (cm) Packaging single depth (cm) DUN14 (inner) Units per inner package Packaging inner length / height (cm) Packaging inner width (cm) Packaging inner width (cm) Packaging inner depth (cm)	15000 284 26 0.042 Carton 5410288268576 29.0 3.0 3.7 25410288268570 6 30.4 8.2 10.4
Average life (Nominal) (h) Average life (Rated) (h) Physical data Nominal Product Diameter (mm) Max. Lamp Diameter (mm) - D Weight (kg) Packaging Single packaging type Product EAN number Packaging single length / height (cm) Packaging single depth (cm) DUN14 (inner) Units per inner package Packaging inner length / height (cm) Packaging inner width (cm) Packaging inner depth (cm) DUN14 (outer)	15000 284 26 0.042 Carton 5410288268576 29.0 3.0 3.7 25410288268570 6 30.4 8.2 10.4 15410288268573
Average life (Nominal) (h) Average life (Rated) (h) Physical data Nominal Product Diameter (mm) Max. Lamp Diameter (mm) - D Weight (kg) Packaging Single packaging type Product EAN number Packaging single length / height (cm) Packaging single depth (cm) DUN14 (inner) Units per inner package Packaging inner length / height (cm) Packaging inner length / height (cm) Packaging inner depth (cm) DUN14 (outer) Units per outer package	15000 284 26 0.042 Carton 5410288268576 29.0 3.0 3.7 25410288268570 6 30.4 8.2 10.4 15410288268573 60
Average life (Nominal) (h) Average life (Rated) (h) Physical data Nominal Product Diameter (mm) Max. Lamp Diameter (mm) - D Weight (kg) Packaging Single packaging type Product EAN number Packaging single length / height (cm) Packaging single depth (cm) DUN14 (inner) Units per inner package Packaging inner length / height (cm) Packaging inner length / height (cm) Packaging inner depth (cm) DUN14 (outer)	15000 284 26 0.042 Carton 5410288268576 29.0 3.0 3.7 25410288268570 6 30.4 8.2 10.4 15410288268573



ToLEDo Striplight ToLEDo ST V2 284mm 3.5W 280lm S15S 0026857

Packaging outer depth (cm)	23.5
Safety data	
Breakage cleaning instructions	Not applicable
Special purpose lamp	No
Suitable for household illumination	Yes

PHOTOMETRY

TECHNICAL DRAWINGS

