



530

kWh/1000h

15

lumens/watt

PAR 56

Q500PAR56MFL 120V

43495

Product information

PAR lamps provide a robust and flexible design solution for a wide range of applications. Choice of PAR36, PAR46, PAR56 or PAR64

- 3000 K or 4200 K colour temperature
- Choice of beam widths
- Excellent colour rendering
- High efficiency combined with low operating costs
- Robust and reliable
- UV control
- Easy retrofit
- Colour consistent throughout life
- Colour blends with halogen and fluorescent

Application areas



Club and Disco



Product data

Product Code	43495
Bulb Shape	PAR
Bulb Diameter [mm]	177.8
Maximum Overall Length [mm]	127
Net weight per piece [g]	678
Gross weight per piece [g]	738
Brand	GE Lighting
Cap/Base	G16d

Performance data

Nominal/ Rated Beam Angle [°]	21
Nominal center beam candlepower (CBCP) [cd]	43000
Rated Lumens [lm]	6300
Weighted energy consumption [kWh/1000h]	530.0
Useful lumens (at 90° cone) [lm]	6300
Rated Life [h]	4000
Nominal correlated colour temperature (CCT) [K]	2750
Nominal lumens [lm]	7650
Colour Rendering Index (CRI) [Ra]	100

Electrical data

Rated power [W]	500.0
Coil type	CC-6
Ballast Required	Yes
Nominal power [W]	500
Nominal lamp voltage [V]	120

Logistic data

DUN Code	00043168434959
EAN Code	0043168434959
Pack Quantity	6
Inner pack type	BOX
Layer quantity	72 EUR, 108 UK
Layer quantity EUR	72
Layer quantity UK	108
Pallet quantity EUR (PC)	216
Pallet quantity UK (PC)	324
Outer case size	349 x 300 x 446 (mm)
Product status	Phased-out

Downloads & Links

[Go to the catalog site \(HTTP\)](#)

[Entertainment Solution Spectrum Catalogue \(PDF\)](#)

[Lighting design tools & calculators \(HTTP\)](#)

[High-res images / Technical drawings \(HTTP\)](#)

Disclaimer

Special purpose lamp – Stage Studio. Not suitable for household illumination.

