# **JГU**NGSRAM<sup>™</sup>

Innovation is our heritage EST. 1896



### Single Ended Halogen Q24MT32/CL 240V 48777

## Product information

Quartz lamps designed for optimum performance in today's precision range of stage, studio and architectural luminaires. Full range up to 24,000 W -Range of bases to meet the needs of OEMs -Chromised seal protection up to 500° C.

#### **Application areas**



(籥) Film and Broadcast (廚) Theatre





#### Product data

Product Code	48777
Light Center Length [mm]	354
Bulb Shape	Tubular
Bulb Diameter [mm]	103
Maximum Overall Length [mm]	560
Net weight per piece [g]	10400
Gross weight per piece [g]	10900
Brand	GE Lighting
Cap/Base	G38

#### Performance data

Rated Lumens [lm]	800000
Weighted energy consumption [kWh/1000h]	24000.0
Energy efficiency class (EEC)	В
Rated Life [h]	150
Nominal correlated colour temperature (CCT) [K]] 3400	
Nominal lumens [lm]	800000
Colour Rendering Index (CRI) [Ra]	100

#### Electrical data

Rated power [W]	24000.0
Coil type	C-13
Dimming Capability	Yes
Ballast Required	No
Nominal power [W]	24000
Nominal lamp voltage [V]	240

#### Logistic data

DUN Code	00043168487771
EAN Code	5021731314025
Pack Quantity	1
Inner pack type	BOX
Outer pack type	OUTER BOX
Layer quantity	5 UK
Layer quantity UK	5
Pallet quantity EUR (PC)	1520
Pallet quantity UK (PC)	15
Outer case size	270 x 265 x 705 (mm)
Product status	Phased-out

Downloads & Links Go to the catalog site (HTTP) Entertainment Solution Spectrum Catalogue (PDF) Lighting design tools & calculators (HTTP) High-res images / Technical drawings (HTTP)

#### Disclaimer

Special Purpose Lamp, Not suited for household illumination



Tungsram is a registered trademark of Tungsram Operations Kft.

tungsram.com

We in Tungsram Operations Kft. are constantly developing and improving our products. For this reason, all product descriptions in this catalogue are intended as a general guide, and we may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this publication present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, Tungsram cannot accept any liability arising from the reliance on such data to the extent permitted by law.