JГUNGSRAM[™]

Innovation is our heritage EST. 1896



Single Ended Halogen BWF-Q2000/4CL 120V 88611

Product information

Quartz lamps designed for optimum performance in today's precision range of stage, studio and architectural luminaires. Full range up to 24,000 W -Range of bases to meet the needs of OEMs -Chromised seal protection up to 500° C.

Application areas



(晉) Film and Broadcast (詞) Theatre





Product data

Product Code	88611
Light Center Length [mm]	133
Bulb Shape	Tubular
Bulb Diameter [mm]	26
Maximum Overall Length [mm]	190
Net weight per piece [g]	275
Gross weight per piece [g]	330
Brand	GE Lighting
Cap/Base	E40

Performance data

Rated Lumens [lm]	54000
Weighted energy consumption [kWh/1000h]	2120.0
Energy efficiency class (EEC)	В
Rated Life [h]	500
Nominal correlated colour temperature (CCT) [K]] 3200	
Nominal lumens [lm]	54000
Colour Rendering Index (CRI) [Ra]	100

Electrical data

Rated power [W]	2000.0
Coil type	C-13
Dimming Capability	Yes
Ballast Required	Yes
Nominal power [W]	2000
Nominal lamp voltage [V]	120

Logistic data

DUN Code	10043168886113
EAN Code	0043168886116
Pack Quantity	6
Inner pack type	BOX
Outer pack type	OUTER BOX
Layer quantity	216 EUR, 270 UK
Layer quantity EUR	216
Layer quantity UK	270
Pallet quantity EUR (PC)	864
Pallet quantity UK (PC)	1080
Outer case size	190 x 130 x 230 (mm)
Product status	Phased-out

Downloads & Links

Go to the catalog site (HTTP) Entertainment Solution Spectrum Catalogue (PDF) Lighting design tools & calculators (HTTP) High-res images / Technical drawings (HTTP)

Disclaimer

Special Purpose Lamp, Not suited for household illumination



Tungsram is a registered trademark of Tungsram Operations Kft.

tungsram.com

We in Tungsram Operations Kft. are constantly developing and improving our products. For this reason, all product descriptions in this catalogue are intended as a general guide, and we may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this publication present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, Tungsram cannot accept any liability arising from the reliance on such data to the extent permitted by law.