



1060

kWh/1000h

28

lumens/watt

## Single Ended Halogen CYV-Q1000T7/4CL/BP 1000W/120V 88630

### Product information

Quartz lamps designed for optimum performance in today's precision range of stage, studio and architectural luminaires. Full range up to 24,000 W -Range of bases to meet the needs of OEMs - Chromised seal protection up to 500° C.

### Application areas



Film and Broadcast



Theatre



## Product data

Product Code	88630
Light Center Length [mm]	127
Bulb Shape	Tubular
Bulb Diameter [mm]	21.6
Maximum Overall Length [mm]	203
Net weight per piece [g]	272
Gross weight per piece [g]	330
Brand	GE Lighting
Cap/Base	G38

## Performance data

Rated Lumens [lm]	28500
Weighted energy consumption [kWh/1000h]	1060.0
Energy efficiency class (EEC)	B
Rated Life [h]	200
Nominal correlated colour temperature (CCT) [K]	3200
Nominal lumens [lm]	28500
Colour Rendering Index (CRI) [Ra]	100

## Electrical data

Rated power [W]	1000.0
Coil type	C-13
Ballast Required	Yes
Nominal power [W]	1000
Nominal lamp voltage [V]	120

## Logistic data

DUN Code	10043168886304
EAN Code	0043168886307
Pack Quantity	6
Inner pack type	BOX
Outer pack type	OUTER BOX
Layer quantity	216 EUR, 270 UK
Layer quantity EUR	216
Layer quantity UK	270
Pallet quantity EUR (PC)	864
Pallet quantity UK (PC)	1080
Outer case size	190 x 130 x 230 (mm)
Product status	Phased-out

## Downloads & Links

[Go to the catalog site \(HTTP\)](#)

[Entertainment Solution Spectrum Catalogue \(PDF\)](#)

[Lighting design tools & calculators \(HTTP\)](#)

[High-res images / Technical drawings \(HTTP\)](#)

## Disclaimer

Special Purpose Lamp, Not suited for household illumination

