



53

kWh/1000h

7

lumens/watt

PAR 36

50PAR36/WFL 12V

93076720

Product information

PAR lamps provide a robust and flexible design solution for a wide range of applications. Choice of PAR36, PAR46, PAR56 or PAR64

- 3000 K or 4200 K colour temperature
- Choice of beam widths
- Excellent colour rendering
- High efficiency combined with low operating costs
- Robust and reliable
- UV control
- Easy retrofit
- Colour consistent throughout life
- Colour blends with halogen and fluorescent

Application areas



Club and Disco



Product data

Product Code	93076720
Bulb Shape	PAR
Bulb Finish	Aluminized
Bulb Diameter [mm]	114.3
Maximum Overall Length [mm]	69.9
Net weight per piece [g]	225
Gross weight per piece [g]	250
Brand	GE Lighting
Cap/Base	Screw terminal

Performance data

Nominal/ Rated Beam Angle [°]	30
Nominal center beam candlepower (CBCP) [cd]	900
Rated Lumens [lm]	510
Weighted energy consumption [kWh/1000h]	53.0
Useful lumens (at 90° cone) [lm]	510
Energy efficiency class (EEC)	C
Rated Life [h]	2000
Nominal correlated colour temperature (CCT) [K]	2750
Nominal lumens [lm]	330

Electrical data

Rated power [W]	50.0
Coil type	C-6
Ballast Required	Yes
Nominal power [W]	50
Nominal lamp voltage [V]	12

Logistic data

DUN Code	10064894582094
EAN Code	0064894582097
Pack Quantity	12
Layer quantity	1 UK
Layer quantity UK	1
Pallet quantity UK (PC)	1200
Outer case size	95 x 95 x 98 (mm)
Product status	Phased-out

Downloads & Links

[Go to the catalog site \(HTTP\)](#)

[Entertainment Solution Spectrum Catalogue \(PDF\)](#)

[Lighting design tools & calculators \(HTTP\)](#)

[High-res images / Technical drawings \(HTTP\)](#)

Disclaimer

Special purpose lamp – Stage Studio. Not suitable for household illumination.

