TUNGSRAM

Innovation is our heritage EST. 1896







ConstantColor™ CMH Supermini CMH35/T/UVC/U/942/GU6.5 TU 93095262

Product information

CMH lamps have opened new possibilities for lighting design, combining the power and light quality of far larger and less efficient lamps. It is now possible to achieve lighting design that could not be achieved previously with inferior technologies.

ConstantColor™ CMH Precise™ technology platform has been developed with specific focus to retail applications. GE Precise™ technology offers superb overall light quality, outstanding lumen maintenance, improved efficacy, whihle maintaining long life and reliability. These qualities are why GE is the leader in ceramic metal halide technology.

Application areas







ConstantColor™ CMH Supermini CMH35/T/UVC/U/942/GU6.5 TU 93095262

Product data

| Product Code | 93095262 |
|-----------------------------|---------------|
| Light Center Length [mm] | 30 |
| Bulb Shape | Tubular |
| Bulb Finish | Clear |
| Maximum Overall Length [mm] | 52 |
| Net weight per piece [g] | 8 |
| Gross weight per piece [g] | 20 |
| Operating position | U - Universal |
| UV radiance | Exempt |
| Brand | Tungsram |
| Cap/Base | GU6.5 |

Performance data

| 942 |
|-------|
| 3350 |
| 42.36 |
| 97 |
| 87 |
| G |
| 0.377 |
| 0.366 |
| 4000 |
| 3400 |
| 90 |
| |



ConstantColor™ CMH Supermini CMH35/T/UVC/U/942/GU6.5 TU 93095262

Electrical data

| Rated power [W] | 38.5 |
|---------------------------------|------|
| Lamp Current [A] | 0.4 |
| Design Ambient Temperature [°C] | 25 |
| Run-up time (sec) | 90 |
| Hot restart time (sec) | 300 |
| Ballast Required | Yes |
| Nominal power [W] | 35 |
| Nominal lamp voltage [V] | 95 |


Logistic data

| DUN Code | 15994100015908 | |
|--------------------------|--------------------|--|
| EAN Code | 5994100015901 | |
| Pack Quantity | 12 | |
| Inner pack type | BOX | |
| Outer pack type | OUTER BOX | |
| Layer quantity | 1344 EUR, 1704 UK | |
| Layer quantity EUR | 1344 | |
| Layer quantity UK | 1704 | |
| Pallet quantity EUR (PC) | 17472 | |
| Pallet quantity UK (PC) | 22152 | |
| Outer case size | 106 x 82 x 82 (mm) | |
| Product status | Available | |
| | | |




ConstantColor™ CMH Supermini CMH35/T/UVC/U/942/GU6.5 TU 93095262

Light distribution



Lumen maintenance data






ConstantColor™ CMH Supermini

CMH35/T/UVC/U/942/GU6.5 TU 93095262

Survival data



Downloads & Links

Go to the catalog site (HTTP)

Photometry (IES)

Product datasheet (PDF)

High-res images / Technical drawings (HTTP)