TUNGSRAM[™]

Innovation is our heritage EST. 1896





ConstantColor™ CMH AR111 CMH35/R111/UVC/U/930/GX8.5/WFL TU 93104713

Product information

GE's **CMH-AR111** are an ideal choice for energyefficient accent and display lighting. The decorative design provides excellent beam control with low glare and superb overall light quality. It is now possible to achieve lighting designs with much lower thermal output than tungsten halogen lamps of similar light output. Now, anyone with critical colour needs can enjoy the excellent savings that CMH-AR111 lamps provide. CMH-AR111 lamps offer substantial benefits that make them the clear choice for specification into new stores, or re-lamping existing store fixtures.

Application areas





Product data

Product Code	93104713
Bulb Shape	Reflector
Bulb Finish	Clear
Bulb Diameter [mm]	111
Maximum Overall Length [mm]	95
Net weight per piece [g]	79
Gross weight per piece [g]	129
Operating position	U - Universal
Mercury Content [mg]	4.5
Brand	Tungsram
Cap/Base	GX8.5

Performance data

Nominal/ Rated Beam Angle [°]	40
Nominal/ Rated Beam Angle (°)	34.06
Nominal center beam candlepower (CBCP) [cd]	5000
Rated peak intensity in [Cd]	5000
Rated Lumens [lm]	2024
Weighted energy consumption [kWh/1000h]	34.32
Useful lumens (at 90° cone) [lm]	2024
Nominal efficacy [LpW]	60
Rated efficacy [LpW]	51.9
Energy efficiency class (EEC)	G
Rated average life [h]	12000
Nominal chromaticity coordinate X	0.435
Nominal chromaticity coordinate Y	0.394
Nominal correlated colour temperature (CCT) [K]]	3000
Nominal lumens [lm]	2100
Colour Rendering Index (CRI) [Ra]	88


Electrical data

Rated power [W]	39.0
Lamp Current [A]	0.45
Run-up time (sec)	<150
Hot restart time (sec)	<900
Dimming Capability	No
Nominal power [W]	35
Nominal lamp voltage [V]	87


Logistic data

DUN Code	15994100019791
EAN Code	5994100019794
Pack Quantity	6
Inner pack type	BOX
Outer pack type	OUTER BOX
Layer quantity	96 EUR, 120 UK
Layer quantity EUR	96
Layer quantity UK	120
Pallet quantity EUR (PC)	864
Pallet quantity UK (PC)	1080
Outer case size	293 x 198 x 115 (mm)
Product status	Available

Light distribution




Lumen maintenance data



TUNGSRAM

Survival data



Downloads & Links

Go to the catalog site (HTTP) Photometry (IES) Product datasheet (PDF) High-res images / Technical drawings (HTTP)



Tungsram is a registered trademark of Tungsram Operations Kft.

tungsram.com

We in Tungsram Operations Kft. are constantly developing and improving our products. For this reason, all product descriptions in this catalogue are intended as a general guide, and we may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this publication present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, Tungsram cannot accept any liability arising from the reliance on such data to the extent permitted by law.