



880

kWh/1000h

80

lumens/watt

## Discharge - Single Ended Hot Restrike

CSR800/SE/HR/UVC

93106222

### Product information

Compact, single ended metal halide hot restrike lamps for a variety of applications requiring high luminance, reliability and excellent colour characteristics. Excellent colour rendering,  $R_a > 90$ , and high CCT 5600–6000 K with superior colour stability- Universal burn position with hot restrike capability- High efficiency with excellent lumen maintenance

### Application areas



Film and Broadcast



## Product data

Product Code	93106222
Light Center Length [mm]	70
Bulb Shape	Globe
Bulb Finish	Clear
Bulb Diameter [mm]	30
Maximum Overall Length [mm]	145
Arc Gap	8
Net weight per piece [g]	190
Gross weight per piece [g]	213
Operating position	U - Universal
Brand	Tungsrám
Cap/Base	G22

## Performance data

Colour Code	956
Rated Lumens [lm]	64000
Weighted energy consumption [kWh/1000h]	880.0
Nominal chromaticity coordinate X	0.323
Nominal chromaticity coordinate Y	0.318
Nominal correlated colour temperature (CCT) [K]	5600
Nominal lumens [lm]	64000
Colour Rendering Index (CRI) [Ra]	90

## Electrical data

Rated power [W]	800.0
Lamp Current [A]	8.4
Dimming Capability	No
Ballast Required	Yes
Nominal power [W]	800
Nominal lamp voltage [V]	95

## Logistic data

DUN Code	15994100020582
EAN Code	5994100020585
Pack Quantity	10
Inner pack type	BOX
Outer pack type	OUTER BOX
Layer quantity	100 EUR, 130 UK
Layer quantity EUR	100
Layer quantity UK	130
Pallet quantity EUR (PC)	600
Pallet quantity UK (PC)	780
Outer case size	370 x 154 x 230 (mm)
Product status	Available

## Downloads & Links

[Go to the catalog site \(HTTP\)](#)

[Entertainment Solution Spectrum Catalogue \(PDF\)](#)

[Lighting design tools & calculators \(HTTP\)](#)

[High-res images / Technical drawings \(HTTP\)](#)

## Disclaimer

Special Purpose Lamp, Not suited for household illumination



Tungfram is a registered trademark of  
Tungfram Operations Kft.

[tungfram.com](http://tungfram.com)

We in Tungfram Operations Kft. are constantly developing and improving our products. For this reason, all product descriptions in this catalogue are intended as a general guide, and we may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this publication present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, Tungfram cannot accept any liability arising from the reliance on such data to the extent permitted by law.