TUNGSRAM[™]

Innovation is our heritage EST. 1896





Discharge - Single Ended Hot Restrike CSR 1200 SE/HR/UV- C 93106223

Product information

Compact, single ended metal halide hot restrike lamps for a variety of applications requiring high luminance, reliability and excellent colour characteristics. Excellent colour rendering, Ra>90, and high CCT 5600–6000 K with superior colour stability- Universal burn position with hot restrike capability- High efficiency with excellent lumen maintenance

Application areas



) Film and Broadcast



Product data

Product Code	93106223
Light Center Length [mm]	107
Bulb Shape	Globe
Bulb Finish	Clear
Bulb Diameter [mm]	42
Maximum Overall Length [mm]	200
Arc Gap	10
Net weight per piece [g]	390
Gross weight per piece [g]	440
Operating position	U - Universal
Brand	Tungsram
Cap/Base	G38

Performance data

Colour Code	956
Rated Lumens [lm]	110000
Weighted energy consumption [kWh/1000h]	1320.0
Nominal chromaticity coordinate X	0.333
Nominal chromaticity coordinate Y	0.333
Nominal correlated colour temperature (CCT) [K]]	6000
Nominal lumens [lm]	110000
Colour Rendering Index (CRI) [Ra]	90

Electrical data

Rated power [W]	1200.0
Lamp Current [A]	12
Dimming Capability	No
Ballast Required	Yes
Nominal power [W]	1200
Nominal lamp voltage [V]	100

Logistic data

AN Code 5994100	220550	
	J20660	
ack Quantity 6		
ner pack type BOX		
uter pack type OUTER B	OX	
ayer quantity 48 EUR, 7	72 UK	
ayer quantity EUR 48		
ayer quantity UK 72		
allet quantity EUR (PC) 240		
allet quantity UK (PC) 360	360	
uter case size 280 x 190	280 x 190 x 305 (mm)	
roduct status Available	Available	

Downloads & Links

Go to the catalog site (HTTP) Entertainment Solution Spectrum Catalogue (PDF) Lighting design tools & calculators (HTTP) High-res images / Technical drawings (HTTP)

TUNGSRAM

Disclaimer

Special Purpose Lamp, Not suited for household illumination



Tungsram is a registered trademark of Tungsram Operations Kft.

tungsram.com

We in Tungsram Operations Kft. are constantly developing and improving our products. For this reason, all product descriptions in this catalogue are intended as a general guide, and we may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this publication present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, Tungsram cannot accept any liability arising from the reliance on such data to the extent permitted by law.