JUNGSRAM[™]

Innovation is our heritage EST. 1896






PAR 56 300PAR56/NSP 240V 93106408

Product information

PAR lamps provide a robust and flexible design solution for a wide range of applications. Choice of PAR36, PAR46, PAR56 or PAR64

- 3000 K or 4200 K colour temperature
- Choice of beam widths
- Excellent colour rendering
- High efficiency combined with low operating costs
- Robust and reliable
- UV control
- Easy retrofit
- Colour consistent throughout life
- Colour blends with halogen and fluorescent

Application areas





Product data

Product Code	93106408
Bulb Shape	PAR
Bulb Finish	Aluminized
Bulb Diameter [mm]	177.8
Maximum Overall Length [mm]	127
Net weight per piece [g]	625
Gross weight per piece [g]	694
Brand	Tungsram
Cap/Base	GX16d

Performance data

Nominal/ Rated Beam Angle [°]	19
Nominal center beam candlepower (CBCP) [cd]	40000
Rated Lumens [lm]	1900
Weighted energy consumption [kWh/1000h]	300.0
Useful lumens (at 90° cone) [lm]	1900
Energy efficiency class (EEC)	G
Rated Life [h]	2000
Nominal correlated colour temperature (CCT) [K]]	2750
Nominal lumens [lm]	3450

Electrical data

Rated power [W]	300.0
Coil type	CC-13
Ballast Required	No
Nominal power [W]	300
Nominal lamp voltage [V]	245

Logistic data

DUN Code	15994100022081
EAN Code	5994100022084
Pack Quantity	12
Layer quantity	96 EUR, 132 UK
Layer quantity EUR	96
Layer quantity UK	132
Pallet quantity EUR (PC)	192
Pallet quantity UK (PC)	264
Outer case size	153 x 153 x 139 (mm)
Product status	Available

Downloads & Links Go to the catalog site (HTTP) Entertainment Solution Spectrum Catalogue (PDF) Lighting design tools & calculators (PDF) High-res images / Technical drawings (HTTP)

Disclaimer

Special purpose lamp – Stage Studio. Not suitable for household illumination.



Tungsram is a registered trademark of Tungsram Operations Kft.

tungsram.com

We in Tungsram Operations Kft. are constantly developing and improving our products. For this reason, all product descriptions in this catalogue are intended as a general guide, and we may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this publication present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, Tungsram cannot accept any liability arising from the reliance on such data to the extent permitted by law.