TUNGSRAM

Innovation is our heritage EST. 1896





PAR 56 200PAR 30V 93106413

Product information

PAR lamps provide a robust and flexible design solution for a wide range of applications. Choice of PAR36, PAR46, PAR56 or PAR64

- 3000 K or 4200 K colour temperature
- · Choice of beam widths
- · Excellent colour rendering
- High efficiency combined with low operating costs
- · Robust and reliable
- UV control
- Easy retrofit
- · Colour consistent throughout life
- · Colour blends with halogen and fluorescent

Application areas



Train





Product data

Product Code	93106413
Bulb Shape	PAR
Bulb Finish	Aluminized
Bulb Diameter [mm]	177.8
Maximum Overall Length [mm]	114.3
Net weight per piece [g]	576
Gross weight per piece [g]	696
Brand	Tungsram
Cap/Base	Screw terminal

Performance data

Nominal/ Rated Beam Angle [°]	15
Nominal center beam candlepower (CBCP) [cd]	270000
Rated Life [h]	350
Nominal correlated colour temperature (CCT) [K]] 2900	
Nominal lumens [lm]	3700

Electrical data

Coil type	CC-8
Ballast Required	Yes
Nominal power [W]	200
Nominal lamp voltage [V]	30



Logistic data

DUN Code	15994100022135
EAN Code	5994100022138
Pack Quantity	12
Layer quantity	48 EUR, 72 UK
Layer quantity EUR	48
Layer quantity UK	72
Pallet quantity EUR (PC)	144
Pallet quantity UK (PC)	216
Outer case size	153 x 153 x 139 (mm)
Product status	Available

Downloads & Links

Go to the catalog site (HTTP)

Entertainment Solution Spectrum Catalogue (PDF)

Lighting design tools & calculators (HTTP)

High-res images / Technical drawings (HTTP)

Disclaimer

Special Purpose Lamp, Not suited for household illumination