TUNGSRAM

Innovation is our heritage EST. 1896





Double Ended Quartz lamps

TU FCM P2/28 Q1000T3/4CL MIH 93106451

Product information

Precision range of double ended Quartz lamps widely used in theatre and many other applications. A range from 350 W to 2,000 W with 3200K.

Application areas









Double Ended Quartz lamps TU FCM P2/28 Q1000T3/4CL MIH 93106451

Product data

Product Code	93106451
Bulb Shape	Double Ended
Bulb Diameter [mm]	10
Maximum Overall Length [mm]	119.1
Net weight per piece [g]	9
Gross weight per piece [g]	29
Brand	Tungsram
Cap/Base	R7s

Performance data

28000
1060.0
G
400
3200
28000
100

Electrical data

Rated power [W]	1000.0
Coil type	C-8
Dimming Capability	Yes
Ballast Required	Yes
Nominal power [W]	1000
Nominal lamp voltage [V]	120



Double Ended Quartz lamps TU FCM P2/28 Q1000T3/4CL MIH 93106451

Logistic data

DUN Code	15994100020650
EAN Code	5994100020653
Pack Quantity	12
Layer quantity	564 EUR, 672 UK
Layer quantity EUR	564
Layer quantity UK	672
Pallet quantity EUR (PC)	2820
Pallet quantity UK (PC)	3360
Outer case size	157 x 123 x 171 (mm)
Product status	Available

Downloads & Links

Go to the catalog site (HTTP)

Entertainment Solution Spectrum Catalogue (PDF)

Lighting design tools & calculators (HTTP)

High-res images / Technical drawings (HTTP)

Disclaimer

Special Purpose Lamp, Not suited for household illumination