TUNGSRAM™

Innovation is our heritage
EST. 1896

G A→G | 800 kWh/1000h | 25 lumens/watt

Double Ended Quartz lamps

DXX 800-T4-4CL 240V

93106455

Product information

Precision range of double ended Quartz lamps widely used in theatre and many other applications. A range from 350 W to 2,000 W with 3200K.

Application areas

Theatre

TUNGSRAM

Double Ended Quartz lamps

DXX 800-T4-4CL 240V

93106455

Product data

Product Code	93106455
Bulb Shape	Tubular
Bulb Diameter [mm]	15
Maximum Overall Length [mm]	80
Net weight per piece [g]	102
Gross weight per piece [g]	104
Brand	Tungsram
Cap/Base	R7s

Performance data

Rated Lumens [lm]	20000
Weighted energy consumption [kWh/1000h]	800.0
Energy efficiency class (EEC)	G
Rated Life [h]	75
Nominal correlated colour temperature (CCT) [K]]	3200
Nominal lumens [lm]	20000
Colour Rendering Index (CRI) [Ra]	100

Electrical data

Rated power [W]	800.0
Coil type	CC-8
Dimming Capability	Yes
Ballast Required	No
Nominal power [W]	800
Nominal lamp voltage [V]	240

Double Ended Quartz lamps

DXX 800-T4-4CL 240V

93106455

Logistic data

DUN Code	15994100020698
EAN Code	5994100020691
Pack Quantity	24
Layer quantity	576 EUR, 792 UK
Layer quantity EUR	576
Layer quantity UK	792
Pallet quantity EUR (PC)	3456
Pallet quantity UK (PC)	4752
Outer case size	249 x 141 x 162 (mm)
Product status	Available

Downloads & Links

Go to the catalog site (HTTP)

Entertainment Solution Spectrum Catalogue (PDF)

Lighting design tools & calculators (HTTP)

High-res images / Technical drawings (HTTP)

Disclaimer

Special Purpose Lamp, Not suited for household illumination