



88

lumens/watt

## Discharge - Single Ended Hot Restrike

CSR1700/TAL/60/PGJX28

93108711

### Product information

Compact, single ended metal halide hot restrike lamps for a variety of applications requiring high luminance, reliability and excellent colour characteristics. Excellent colour rendering,  $R_a > 90$ , and high CCT 5600–6000 K with superior colour stability- Universal burn position with hot restrike capability- High efficiency with excellent lumen maintenance

### Application areas



Show-Light / Stage  
& Studio



### Product data

Product Code	93108711
Maximum Overall Length [mm]	123
Brand	Tungsrám
Cap/Base	PGJX28

### Performance data

Rated Lumens [lm]	150000
Rated Life [h]	750
Nominal correlated colour temperature (CCT) [K]	6000
Nominal lumens [lm]	150000
Colour Rendering Index (CRI) [Ra]	90

### Electrical data

Rated power [W]	1700.0
Nominal power [W]	1700
Nominal lamp voltage [V]	85

## Logistic data

DUN Code	15994100023385
EAN Code	5994100023388
Pack Quantity	10
Inner pack type	BOX
Outer pack type	OUTER BOX
Layer quantity	10
Pallet quantity EUR (PC)	270
Outer case size	320 x 138 x 170mm
Product status	Available

## Downloads & Links

[Go to the catalog site \(HTTP\)](#)

[High resolution image \(HTTP\)](#)

[High-res images / Technical drawings \(HTTP\)](#)

## Disclaimer

Special Purpose Lamp, Not suited for household illumination